


CONEXIÓN DE ACERO AL CARBON ASTM A234 WPB




TEE DE REDUCCION						
DN	DIAMETRO EXT. A BISEL		CENTRO BORDE		ESPESOR DE PARED	
pulg.	LINEA O.D	LINEA o.d	LINEA C	LINEA M	SCH 40/STD	SCH 80
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
3/4 x 1/2	26.7	21.3	29.0	29.0	2.87	3.91
1 x 3/4	33.4	26.7	38.0	38.0	3.38	4.55
1 x 1/2	33.4	21.3	38.0	38.0	3.38	4.55
1 x 1/4	33.4		38.0	38.0	3.38	4.55
1 1/4 x 1	42.2	33.4	48.0	48.0	3.56	4.85
1 1/4 x 3/4	42.2	26.7	48.0	48.0	3.56	4.85
1 1/4 x 1/2	42.2	21.3	48.0	48.0	3.56	4.85
1 1/2 x 1 1/4	48.3	42.2	57.0	57.0	3.68	5.08
1 1/2 x 1	48.3	33.4	57.0	57.0	3.68	5.08
1 1/2 x 3/4	48.3	26.7	57.0	57.0	3.68	5.08
1 1/2 x 1/2	48.3	21.3	57.0	57.0	3.68	5.08
2 x 1/2	60.3	21.3	64.0		3.91	5.54
2 x 1 1/2	60.3	48.3	64.0	60.0	3.91	5.54
2 x 1 1/4	60.3	42.2	64.0	57.0	3.91	5.54
2 x 3/4	60.3	26.7	64.0	44.0	3.91	5.54
2 x 1	60.3	33.4	64.0	51.0	3.91	5.54
2 1/2 x 2	73.0	60.3	76.0	70.0	5.16	7.01
2 1/2 x 1 1/2	73.0	21.3	76.0		5.16	7.01
2 1/2 x 1 1/2	73.0	48.3	76.0	67.0	5.16	7.01
2 1/2 x 1 1/4	73.0	42.2	76.0	64.0	5.16	7.01
2 1/2 x 3/4	73.0	26.7	76.0		5.16	7.01
2 1/2 x 1	73.0	33.4	76.0	57.0	5.16	7.01
3 x 2 1/2	88.9	73.0	86.0	83.0	5.49	7.62
3 x 2	88.9	60.3	86.0	76.0	5.49	7.62
3 x 1 1/2	88.9	48.3	86.0	73.0	5.49	7.62



PHONE: 866 6350600/6341284/6342619/6342620 WWW.PERFITUBOS.COM

CONEXIÓN DE ACERO AL CARBON ASTM A234 WPB




TEE DE REDUCCION						
DN	DIAMETRO EXT. A BISEL		CENTRO BORDE		ESPESOR DE PARED	
pulg.	LINEA O.D	LINEA o.d	LINEA C	LINEA M	SCH 40/STD	SCH 80
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
3 x 1¼	88.9	42.2	86.0	70.0	5.49	7.62
3 x 1	88.9	33.4	86.0		5.49	7.62
3½ x 3	101.6	88.9	95.0	92.0	5.70	8.10
3½ x 2½	101.6	73.0	95.0	89.0	5.70	8.10
3½ x 2	101.6	60.3	95.0	83.0	5.70	8.10
3½" x 1½	101.6	48.3	95.0	79.0	5.70	8.10
4 x 3½	114.3	101.6	105.0	102.0	6.02	8.56
4 x 2½	114.3	73.0	105.0	95.0	6.02	8.56
4 x 2	114.3	60.3	105.0	89.0	6.02	8.56
4 x 1½	114.3	48.3	105.0	86.0	6.02	8.56
4 x 1 1/4	114.3	42.2	105.0		6.02	8.56
4 x 1	114.3	33.4	105.0		6.02	8.56
5 x 4	141.3	114.3	124.0	117.0	6.55	9.53
5 x 3	141.3	88.9	124.0	111.0	6.55	9.53
5 x 2	141.3	60.3	124.0	105.0	6.55	9.53
6 x 5	168.3	141.3	143.0	137.0	7.11	10.97
6 x 4	168.3	114.3	143.0	130.0	7.11	10.97
6 x 3	168.3	88.9	143.0	124.0	7.11	10.97
6 x 2½	168.3	73.0	143.0	121.0	7.11	10.97
6 x 2	168.3	60.3	143.0		7.11	10.97
8 x 6	219.1	168.3	178.0	168.0	8.18	12.7
8 x 5	219.1	141.3	178.0	162.0	8.18	12.7
8 x 4	219.1	114.3	178.0	156.0	8.18	12.7
8 x 3	219.1	101.6	178.0	152.0	8.18	12.7
10 x 8	273.0	219.1	216.0	203.0	9.27	15.1
10 x 6	273.0	168.3	216.0	194.0	9.27	15.1
10 x 5	273.0	141.3	216.0	191.0	9.27	15.1
10 x 4	273.0	114.3	216.0	184.0	9.27	15.1



PHONE: 866 6350600/6341284/6342619/6342620 WWW.PERFITUBOS.COM

CONEXIÓN DE ACERO AL CARBON ASTM A234 WPB



TEE DE REDUCCION						
DN	DIAMETRO EXT. A BISEL		CENTRO BORDE		ESPESOR DE PARED	
pulg.	LINEA O.D	LINEA o.d	LINEA C	LINEA M	SCH 40/STD	SCH 80
12 x 10	323.8	273.0	254.0	241.0	10.30	-
12 x 8	323.8	219.1	254.0	229.0	10.30	-
12 x 6	323.8	168.3	254.0	219.0	9.50	-
12 x 5	355.6	141.3	254.0	216.0	9.50	-
14 x 12	355.6	323.8	279.0	270.0	11.10	-
14 x 10	355.6	273.0	279.0	257.0	11.10	-
14 x 8	355.6	219.1	279.0	248.0	11.10	-
14 x 6	406.4	168.3	279.0	238.0	11.10	-
16 x 10	406.4	273.0	305.0	283.0	12.70	-



PHONE: 866 6350600/6341284/6342619/6342620 WWW.PERFITUBOS.COM